



Department of Toxic Substances Control



700 Heinz Avenue, Suite 200 Berkeley, California 94710-2721

January 25, 2005

Mr. Jeffery Morris, P.E. CH2MHILL 155 Grand Avenue, Suite 1000 Oakland, CA 94612

LENNAR MARE ISLAND, CHARACTERIZATION AND CLEANUP ACTION, **BUILDING 529, DATED JUNE 30, 2004**

Dear Mr. Morris:

The Department of Toxic Substances Control (DTSC) has reviewed a report documenting the cleanup actions for polychlorinated biphenyls (PCB) for the Building 529 area and anticipates that no further investigation or remediation of PCB compounds will be necessary. The final certification that no further action is necessary is expected to be issued at the time of approval of the report of implementation of remedial activities for the H2 Investigation Area. A memorandum concerning our review of the report titled, "Site Characterization and Cleanup Action for Polychlorinated Biphenyls at Building 529, Investigation Area D1, Mare Island, Vallejo, California," dated June 30. 2004, is attached.

Should you have any questions regarding this letter, please contact me at (510) 540-3759.

Sincerely,

Henry Chui, P.E.

Remedial Project Manager Office of Military Facilities

Enclosure

CC: see next page Mr. Morris Page 2 January 25, 2005

cc: Mr. Gary Riley, P.E.

Regional Water Quality Control Board

1515 Clay Street, Suite 1400 Oakland, California 94612

Ms. Carolyn d' Almeida U.S. Environmental Protection Agency (SFD-8-1) 75 Hawthorne Street San Francisco, California 94105-3901

William Kilgore
Department of Toxic Substances Control
8800 Cal Center Drive
Sacramento, CA 95826

Ms. Sheila Roebuck Lennar Mare Island 690 Walnut Avenue, Suite 100 Vallejo, Mare Island, California 94592